VERATEC®

PVC-U Window & Door Systems

MAXI ROYAL - MAXI PLUS - MAXI EMPIRE - MAXIMAJESTIC - MAXI RIVIERA


General Technical Catalogue

Section:1

Architectural Window Systems

VERATEC®
PVC-U Window & Door Systems

MAXI ROYAL SYSTEM



Architectural Window Systems

VERATEC®
PVC-U Window & Door Systems


MAXI ROYAL

VERATEC
PVC-U Window & Door Systems

FRAME PROFILE

7051	1.287 kg/m
7051 EU-B	1.159 kg/m


	Thickness	Weight-kg/m
U-Reinforcement steel DS 01044 32x20	1.25mm	0.670
	1.55mm	0.826
	2.05mm	1.078
Box Reinforcement steel DS 01044-K 32x20	1.25mm	0.972
	1.55mm	1.072
	2.05mm	1.382
U - British system DS 01043 - 34x6	1.25mm	0.415
	1.55mm	0.509




FRAME PROFILE

7052	1.423 kg/m
7052 EU-B	1.284 kg/m

	Thickness	Weight-kg/m
U-Reinforcement steel DS 01050 32 X 30	1.25mm	0.833
	1.55mm	1.035
	2.05mm	1.368
Box Reinforcement steel DS 01050-K 32 X 30	1.25mm	1.148
	1.55mm	1.402
	2.05mm	1.829
Alternative U-Reinforcement steel DS 01045 32 X 26	1.25mm	0.788
	1.55mm	0.972
	2.05mm	1.243




İK01010




scale - 1/1 1-1-1

REPLACEMENT FRAME PROFILE


7068	1.838 kg/m
7068 EU-B	1.649 kg/m


	Thickness	Weight-kg/m
U-Reinforcement steel DS 01044 32x20	1.25mm	0.670
	1.55mm	0.826
	2.05mm	1.078
Box Reinforcement steel DS 01044-K 32x20	1.25mm	0.972
	1.55mm	1.072
	2.05mm	1.382




REPLACEMENT FRAME PROFILE

7082	1.469 kg/m
7082 EU-B	1.282 kg/m





IK01010




VERATEC
PVC-U Window & Door Systems

SASH PROFILE


7053	1.446 kg/m
7053 EU-B	1.286 kg/m


U-Reinforcement steel DS 01045 32 X 26	Thickness	Weight-kg/m
	1.25mm	0.788
	1.55mm	0.972
	2.05mm	1.243



DRAINER SASH PROFILE

7054	1.528 kg/m
7054 EU-B	1.362 kg/m







VERATEC
PVC-U Window & Door Systems

FRANCE DRAINER SASH PROFILE

7065 1.259 kg/m


	Thickness	Weight-kg/m
Reinforcement steel DS 01053	1.25mm	0.548
	1.55mm	0.678
	2.05mm	0.878






FRANCE ADAPTING SASH PROFILE

7070 1.024 kg/m






VERATEC
PVC-U Window & Door Systems


REBATE REVERSER PROFILE


7059 1.088 kg/m

	Thickness	Weight-kg/m
U-Reinforcement steel DS 01045 32 X 26	1.25mm	0.788
	1.55mm	0.972
	2.05mm	1.243



HK01010






PROFILE TECHNICAL DRAWINGS


MULLION PROFILE

7055	1.282 kg/m
7055 EU-B	1.143 kg/m

	Thickness	Weight-kg/m
U-Reinforcement steel DS 01046-K 35 X 12	1.25mm	0.845
	1.55mm	1.036
	2.05mm	1.345



OB01015





MULLION PROFILE

7056	1.413 kg/m
7056 EU-B	1.268 kg/m

	Thickness	Weight-kg/m
U-Reinforcement steel DS 01047 22 X35	1.25mm	0.827
	1.55mm	1.035
	2.05mm	1.384
Box reinforcement steel DS 01047-K 35 X 22	1.25mm	1.001
	1.55mm	1.240
	2.05mm	1.629

OB01014





Technical Catalogue


VERATEC PVC-U Window & Door Systems


PROFILE TECHNICAL DRAWINGS


MULLION PROFILE

7077	1.521 kg/m
7077 EU-B	1.351 kg/m

	Thickness	Weight-kg/m
U-Reinforcement steel DS 01062 30 X 40	1.25mm	1.055
	1.55mm	1.297
	2.05mm	1.696
Box reinforcement steel DS 01048-K 30x40	1.25mm	1.317
	1.55mm	1.612
	2.05mm	2.093









OB01019

MULLION PROFILE


7078	1.302 kg/m
7078 EU-B	1.137 kg/m

	Thickness	Weight-kg/m
U-Reinforcement steel DS 01063 11 X 34,5 mm	1.25mm	0.760
	1.55mm	0.931
	2.05mm	1.212
Box reinforcement steel DS 01063-K 11 x 34,5 mm	1.25mm	0.835
	1.55mm	1.014
	2.05mm	1.302





OB01015






scale - 1/1 1-1-7

VERATEC
PVC-U Window & Door Systems

DOOR SASH PROFILE (INWAD OPENING)

7057	1.953 kg/m
7057 EU-B	1.761 kg/m


	Thickness	Weight-kg/m
U-Reinforcement steel DS 01048 30x43x6	1.25mm	1.184
	1.55mm	1.456
	2.05mm	1.857
Box reinforcement steel DS 01048-K 30x40.5	1.25mm	1.317
	1.55mm	1.612
	2.05mm	2.093



ALUM. DRAINER FOR DOOR SASH
05DA01209 - Anodised
05DA01213 - RAL 9016
05DA01214 - Dark brown



ALUM. DRAINER CAPS.
05DA01217 -White caps
05DA01218 -Grey caps
05DA01219 -Dark brown caps




THERESHOLD SEALING GASKET




05DA01210 - 16/12mm
05DA01215 - 16/10mm

70mm ISOLATED ALUM. THRESHOLD




05DA01207 - Alm. threshold with black cap
05DA01208 - Alm. threshold with grey cap
05DA01211 - Alm. threshold with white cap





ISOLATED ALUMINIUM THRESHOLD
(WITH GEAR SECURITY STRIKER CANAL
05DA01220 - Alum. threshold with grey cap
05DA0122 Security striker





7397 ENODISED ALUMINIUM THRESHOLD



AB01015-E Anodised aluminium threshold
AB01015-R Anodised aluminium threshold black

THRESHOLD CAPS-LEFT&RIGHT
EK01005-7051&7052-L&R-White
EK01005R-7051&7052-L&R-Coloured






DOOR CORNER WOODEN WEDGE
KT01004-26x39 DS01048
KT01005-26x36 DS01048-K


VERATEC
PVC-U Window & Door Systems


DOOR SASH PROFILE (OUTWARD OPENING)

7058	1.933 kg/m
7058 EU-B	1.745 kg/m

	Thickness	Weight-kg/m
U-Reinforcement steel DS 01048 30x43x6	1.25mm	1.184
	1.55mm	1.596
	2.05mm	1.857
Box reinforcement steel DS 01048-K 30x40	1.25mm	1.317
	1.55mm	1.612
	2.05mm	2.093








KT01004-26x39 DS01048
KT01005-26x36 DS01048-K

OB01018





VERATEC
PVC-U Window & Door Systems


FRANCE DRAINER DOOR SASH PROFILE

7080	1.775 kg/m
7080 EU-B	1.590 kg/m

	Thickness	Weight-kg/m
Reinforcement steel DS 01064 34x31,5x43,5x8x6 mm	1.25mm	1.155
	1.55mm	1.410
	2.05mm	1.826
Box Reinforcement steel DS 01064-K 34x29 mm	1.25mm	1.181
	1.55mm	1.443
	2.05mm	1.867









FRANCE ADAPTING DOOR SASH PROFILE

7081	1.486 kg/m
7081 EU-B	1.324 kg/m







HK01001




SUPER LAP INSIDE SASH COVER		
7072	0.326	kg / m



HK01001




SUPER LAP OUTSIDE SASH COVER		
7073	0.546	kg / m




HK01002




SUPER LAP INSIDE SASH COVER		
7075	0.184	kg / m



HK01002




SUPER LAP OUTSIDE SASH COVER		
7076	0.292+0.013= 0.305	kg / m




VERATEC PVC-U Window & Door Systems

PROFILE TECHNICAL DRAWINGS


SINGLE GLAZING BEAD - 4mm	
7074	0.355 kg/m




DOUBLE GLAZING BEAD - 24mm	
7062	0.237 kg/m



DOUBLE GLAZING BEAD - 28mm	
7064	0.223 kg/m



TRIPLE GLAZING BEAD - 34mm	
7063	0.199 kg/m



TRIPLE GLAZING BEAD - 40mm	
7464	0.178 kg/m

